



LAWRENCE AVE.

LAWRENCE AVE.



| STANDARD TYPE A COMBINATION CURB AND GUTTER 12 INCH GUTTER PAN 8 INCH DEPTH SHA STD. NO. MD-620.02 | |
|---|---------------|
| LOCATION | QUANTITY (LF) |
| SOUTHWEST QUADRANT | 5 |
| SOUTHEAST QUADRANT | 57 |

M01135177

| DETECTABLE WARNING SURFACE SHA STD. NO. MD-655.40 | |
|--|---------------|
| LOCATION | QUANTITY (SF) |
| SOUTHWEST QUADRANT | 12 |
| SOUTHEAST QUADRANT | 12 |

M01135177

| 5 INCH CONCRETE SIDEWALK | |
|-------------------------------|----------------|
| LOCATION | QUANTITY (SF) |
| SOUTHWEST QUADRANT | 104 |
| SOUTHEAST QUADRANT | 215 |

M01135177


LEGEND

- CONCRETE PAVEMENT
- DETECTABLE WARNING SURFACE
SHA STD. NO. MD-655.40

GENERAL NOTES

- FOR 5 INCH CONCRETE SIDEWALK RECONSTRUCTION, SEE TYPICAL SECTION, SHEET.DE-1
- ALL DIMENSIONS ARE APPROXIMATE. CONTRACTOR TO VERIFY ALL DIMENSIONS IN THE FIELD.
- NO DISTURBED AREA SHALL BE LEFT UNSTABILIZED OVERNIGHT UNLESS THE RUNOFF IS DIRECTED TO AN APPROVED SEDIMENT CONTROL DEVICE.
- SIDEWALK RECONSTRUCTION LIMITS SHALL COINCIDE WITH CRACK CONTROL JOINTS (JOINTER GROOVES) OR EXPANSION JOINTS IN EXISTING SIDEWALK. NEW EXPANSION JOINTS SHALL BE PROVIDED AT THE INTERFACE OF EXISTING AND PROPOSED SIDEWALK. SEE SHA. STD. NO. MD-655.01.
- INSTALL DETECTABLE WARNING SURFACE ON SIDEWALK RAMP AS PER SHA STD. NO. MD-655.40.
- FORM NEW SIDEWALK AND EXPANSION JOINT MATERIAL AROUND EX. UTILITY POLES, MANHOLE COVERS, VALVE COVERS, AND FIRE HYDRANTS AS NECESSARY.
- RESET ANY SIGNS DISTURBED BY THE CONSTRUCTION AS DIRECTED BY THE ENGINEER.
- EXISTING INLETS SHALL NOT BE DAMAGED DURING CONSTRUCTION. DAMAGE TO THE INLETS WILL REQUIRE THE INLET TO BE REPLACED AT NO ADDITIONAL COST TO THE ADMINISTRATION.
- EXISTING TREES, SHRUBS, AND THEIR RESPECTIVE ROOT SYSTEMS SHALL NOT BE DISTURBED DURING CONSTRUCTION.

TOD NO: XY224-14
SHA NO: M0145B54
MD 185 @ Lawrence Avenue



SECTION A-A
PROPOSED MEDIAN
CUT-THROUGH
NOT TO SCALE

SHA STATE OF MARYLAND
DEPARTMENT OF TRANSPORTATION
STATE HIGHWAY ADMINISTRATION

MD 185 (CONNECTICUT AVE.) AT LAWRENCE AVE.



RUMMEL, KLEPPER & KAHL, LLP
81 MOSHER STREET | BALTIMORE, MD 21217
PH: (410) 728-2900 FAX: (410) 728-3160

Engineers | Construction Managers | Planners | Scientists
www.rkk.com

REVISIONS

RAMP DETAILS

SCALE 1" = 5' DATE JUNE 2012 CONTRACT NO. XY2245185

DESIGNED BY JDG COUNTY MONTGOMERY
DRAWN BY JBB LOGMILE 15018504.76
CHECKED BY ATD TMS NO. L-301
FAP NO. TOD NO.

TS NO. 820C-DE DRAWING DE-2 OF 2 SHEET NO. 4 OF 4